MERCER
MEDICAL

8611 S 212TH ST
KENT, WA 98031-1910

URGENT: DRUG RECALL

PRODUCT: Propofol Injectable Emulsion 1%
SIZE: 200mcg/20ml (10mg/ml)
NDC: 0409-4699-30
LOT NO: 26-543-DJ
Exp Date: 1 Feb 2015

Dear Customer:

Hospira, Inc. is voluntarily recalling four lots of Propofol Injectable Emulsion, USP, to the retail/user level, due to visible particles embedded in the glass identified during a retain sample inspection. There may be the potential for product to come into contact with the embedded particles and the particles may become dislodged into the solution. The embedded particulate was identified as composed primarily of iron. Risk factors associated with particulate include the potential for the particulate to be injected, and/or a delay in therapy.

Our records indicate we shipped the above affected lot to you on 6/20/2013.

Mercer Medical, LLC will send you a Return Goods Authorization label upon receipt of attached "Urgent Drug Recall Reply Form". Appropriate credit for returned product will be issued upon receipt of said product with the Return Goods Authorization label. All recalled product returned without a Return Goods Authorization label will delay the issuance of your credit.

Immediate Action Requested:

1. Please immediately check inventory, quarantine, and discontinue the use of the affected product.

2. Complete and return **"Urgent Drug Recall Reply Form"** to **Mercer Medical** within 14 days.

MERCER MEDICAL

8611 S 212TH ST
KENT, WA 98031-1910

Urgent Drug Recall Reply Form – Response Required

Check your inventory and complete the information below, even if you do not have the affected product.

Fax the completed form to 425-728-1125 or e-mail the completed form to galina@mercermed.com

Required Information

____
Business Name/ Phone Number

____
Address/City/State/Zip

____
Your reference# (e.g., PO, Debit Memo or Invoice #)

____
Completed by: Printed Name/Signature/Date

PRODUCT TO BE RETURNED TO MERCER MEDICAL

PO #	INVOICE #	QTY	LOT #
1. 6313	8872		26-543-DJ
2.			
3.			
4.			
5.			
6.			

If affected product is not being returned, please explain:

Have you administered the product to a customer? Yes__ No__

If yes, have you notified the customer? Yes__ No__

Message: Propofol Recall

Propofol Recall

From	Galina Vasyanovich	**Date**	Wednesday, August 28, 2013 1:06 PM
To	Johnston, Becky		
Cc			
Journal Recipients	becky.johnston@doc.mo.gov		

DRUG RECALL, PROPOFOL (MISSOURI DEPARTMENT OF CORRECTIONS).docx (29 Kb HTML)

Please see attachment.

URGENT: DRUG RECALL

PRODUCT: Propofol Injectable Emulsion 1%
SIZE: 200mcg/20ml (10mg/ml)
NDC: 0409-4699-30
LOT NO: 26-543-DJ

Exp Date: 1 Feb 2015

Dear Customer:

Hospira, Inc. is voluntarily recalling four lots of Propofol Injectable Emulsion, USP, to the retail/user level, due to visible particles embedded in the glass identified during a retain sample inspection. There may be the potential for product to come into contact with the embedded particles and the particles may become dislodged into the solution. The embedded particulate was identified as composed primarily of iron. Risk factors associated with particulate include the potential for the particulate to be injected, and/or a delay in therapy.

Our records indicate we shipped the above affected lot to you on 6/20/2013.

Mercer Medical, LLC will send you a Return Goods Authorization label upon receipt of attached "Urgent Drug Recall Reply Form". Appropriate credit for returned product will be issued upon receipt of said product with the Return Goods Authorization label. All recalled product returned without a Return Goods Authorization label will delay the issuance of your credit.

-

Immediate Action Requested:

1. Please immediately check inventory, quarantine, and discontinue the use of the affected product.

2. Complete and return **"Urgent Drug Recall Reply Form"** to **Mercer Medical** within 14 days.

Urgent Drug Recall Reply Form – Response Required

Check your inventory and complete the information below, even if you do not have the affected product.

Fax the completed form to 425-728-1125 or e-mail the completed form to galina@mercermed.com

Required Information

____

Business Name/ Phone Number

____

Address/City/State/Zip

____

Your reference# (e.g., PO, Debit Memo or Invoice #)

____

Completed by: Printed Name/Signature/Date

PRODUCT TO BE RETURNED TO MERCER MEDICAL

PO #	INVOICE #	QTY	LOT #
1. 6313	8872		26-543-DJ
2.			
3.			
4.			
5.			
6.			

If affected product is not being returned, please explain:

Have you administered the product to a customer? Yes__ No__

If yes, have you notified the customer? Yes__ No__

MERCER
MEDICAL

8611 S. 212th Street
Kent WA 98031

Return Materials Auth (RMA)

Date	7/9/2013
RMA#	1102
PO #	
Project	
Memo	
Ordered by:	
Created From	INVOICE #8969

Bill To

Becky Johnston
Eastern Reg Diag & Corrections - DOC
2727 HWY K
Bonne Terre MO 63628

Qty	Item	NDC	Inventory Detail	Unit Price	Amount
80	PROPOFOL 10 MG/ML 20ML EMUL 5	00409469930	26517DJ(72) 26543DJ(8)	106.85	8,548.00

Total $8,548.00

MERCER
MEDICAL

8611 S. 212th Street
Kent WA 98031

Return Materials Auth (RMA)

Date	7/9/2013
RMA#	1102
PO #	
Project	
Memo	
Ordered by:	
Created From	INVOICE #8969

Bill To

Becky Johnston
Eastern Reg Diag & Corrections - DOC
2727 HWY K
Bonne Terre MO 63628

Qty	Item	NDC	Inventory Detail	Unit Price	Amount
80	PROPOFOL 10 MG/ML 20ML EMUL 5	00409469930	26517DJ(72) 26543DJ(8)	106.85	8,548.00

Total $8,548.00

Message: Re: FW: Re: Mistake

Re: FW: Re: Mistake

From Mike Rudoff **Date** Tuesday, July 09, 2013 12:28 PM
To Chris Rudd; Johnston, Becky
Cc
Journal Recipients Becky.Johnston@doc.mo.gov

RMA #1102.pdf (13 Kb HTML)

Hi Becky,

RMA is attached. Please let me know if you need anything else.

Sincerely,

Mike Rudoff
CFO & VP Operations
Mercer Medical, LLC
425-728-1307 (direct)
425-728-1125 (fax)
206-769-8919 (cell)

On Tue, Jul 9, 2013 at 7:43 AM, Chris Rudd <chris@mercermed.com> wrote:

> ---------- Forwarded message ----------
> From: <Becky.Johnston@doc.mo.gov>
> Date: Tue, Jul 9, 2013 at 6:25 AM
> Subject: RE: FW: Re: Mistake
> To: chris@mercermed.com
>
> Waiting on RMA?????
>
> Becky Johnston, Business Manager
>
> Eastern Reception Diagnostic & Correctional Center

2727 Hwy K

Bonne Terre, MO 63628

becky.johnston@doc.mo.gov

573-358-5516 x 1803

573-358-0490 (fax)

From: chris@mercermed.com [mailto:chris@mercermed.com]
Sent: Monday, July 08, 2013 9:18 AM
To: Johnston, Becky
Subject: Re: FW: Re: Mistake

Sure thing. I will send you an RMA today. Sorry for the inconvenience, I hope we didn't throw too much of a wrench in your works.

How was your holiday?

Chris

On Mon, Jul 8, 2013 at 6:31 AM, <Becky.Johnston@doc.mo.gov> wrote:

Chris,

I have been instructed to return the extra 400 vials. Can you arrange for pick up and send me the call ticket. I will have to do adjustments to my inventory, etc.

Becky Johnston, Business Mgr./ERDCC

2727 Hwy K

Bonne Terre, MO 63628

(573) 358-5516 x1803

(573) 358-0490 fax

Remember this: Change the things you can, accept the things you cannot, and have the wisdom to know the difference---Serenity Prayer

From: Briesacher, Matt
Sent: Monday, July 08, 2013 8:16 AM
To: Johnston, Becky
Cc: Stoll, Gary; Russell, Terry L ERDCC Warden
Subject: Re: Re: Mistake

Becky:

Please return the vials we did not pay for. Also please fax my office all the documents regarding the purchase. Thanks.

From: Johnston, Becky
Sent: Monday, July 08, 2013 07:43 AM Central Standard Time
To: Briesacher, Matt
Cc: Johnston, Becky; Stoll, Gary; Russell, Terry L ERDCC Warden
Subject: RE: Re: Mistake

Matt,

I've been holding on this since your second email on 7/2...direction please. Thank you.

Becky Johnston, Business Mgr./ERDCC

2727 Hwy K

Bonne Terre, MO 63628

(573) 358-5516 x1803

(573) 358-0490 fax

Remember this: Change the things you can, accept the things you cannot, and have the wisdom to know the difference---Serenity Prayer

From: Briesacher, Matt
Sent: Tuesday, July 02, 2013 4:38 PM
To: Johnston, Becky; Stoll, Gary
Subject: Re: Mistake

Becky:

We need to return the vials that we did not purchase. I will make the proper notifications. Once the vials are returned, will you please send me a copy of all the documents regarding the purchase?

Thanks.

Matthew B. Briesacher

General Counsel

Missouri Department of Corrections

Office of the General Counsel

2729 Plaza Drive

PO Box 236

Jefferson City, MO 65102

(573) 522-1634 phone

(573) 522-1635 fax

--

Picture

Chris Rudd

Sales Manager

Mercer Medical, LLC

425.728.1303 (direct)

425.902.1891 (fax)

425.877.9105 (cell)

877.430.5509 ext. 103 (toll-free)

--

Picture

Chris Rudd
Sales Manager
Mercer Medical, LLC

425.728.1303 (direct)
425.902.1891 (fax)
425.877.9105 (cell)
877.430.5509 ext. 103 (toll-free)

CONFIDENTIALITY STATEMENT. This email and any attachment is for the sole use of the intended recipient and may contain private, confidential and/or privileged information that may be subject to Mercer Medical's internal policies. If you are not the intended recipient, any dissemination, distribution or copying is strictly prohibited. If you have received this transmission in error, please notify Mercer Medical immediately by return email and delete the message and all copies and attachments from your system.

8611 S. 212th Street Kent WA 98031
Return Materials Auth (RMA)
Date 7/9/2013
RMA# 1102
Bill To Becky Johnston Eastern Reg Diag & Corrections - DOC 2727 HWY K Bonne Terre MO 63628
PO # Project Memo Ordered by:
Created From INVOICE #8969
Qty 80
Item PROPOFOL 10 MG/ML 20ML EMUL 5 NDC 00409469930
Inventory Detail 26517DJ(72) 26543DJ(8)
Unit Price 106.85 Amount 8,548.00
Total $8,548.00

Message: Re: Invoice

Re: Invoice

From	Mike Rudoff	**Date**	Tuesday, July 09, 2013 12:29 PM
To	Chris Rudd; Johnston, Becky		
Cc	Bul Nyuop		
Journal Recipients	Becky.Johnston@doc.mo.gov		

Invoice #8872.pdf (34 Kb HTML)

Hi Becky,

Original invoice attached. Please let me know if you need anything else.

Sincerely,

Mike Rudoff
CFO & VP Operations
Mercer Medical, LLC
425-728-1307 (direct)
425-728-1125 (fax)
206-769-8919 (cell)

On Tue, Jul 9, 2013 at 9:31 AM, Chris Rudd <chris@mercermed.com> wrote:

---------- Forwarded message ----------
From: <Becky.Johnston@doc.mo.gov>
Date: Jul 9, 2013 9:16 AM
Subject: Invoice
To: <chris@mercermed.com>
Cc: <Becky.Johnston@doc.mo.gov>

Chris,

The third thing I will need is an invoice for PO 2494 in the amount of $2137.00 for the original order...thank you.

Becky Johnston, Business Manager

Eastern Reception Diagnostic & Correctional Center

2727 Hwy K

Bonne Terre, MO 63628

becky.johnston@doc.mo.gov

573-358-5516 x 1803

573-358-0490 (fax)

8611 S. 212th Street Kent WA 98031 425-430-5509 www.mercermed.com Tax ID # 71-1002778
INVOICE
DATE 6/20/2013
INV: 8872
BILL TO Becky Johnston Eastern Reg Diag & Corrections - D... 2727 HWY K Bonne Terre MO 63628
SHIP TO Eastern Reg Diag & Corrections - ... 2727 HWY K Bonne Terre MO 63628
REF SALES ORDER #6313
TERMS Credit Card
DUE 6/20/2013
PO: 2494bj
REP Chris Rudd
SHIP VIA (free) UPS 2nd Day Air
SHIP DATE 6/20/2013
TRACKING
1Z807AW70297567459 1Z807AW70295829643
ORDERED BY
Balance Due 0.00
Item PROPOFOL 10 MG/ML 20ML EMUL 5 QTY 20
NDC 00409469930 Inventory Detail 26517DJ(18)
26543DJ(2)
PRICE 106.85
AMOUNT 2,137.00
Subtotal
Shipping Cost ((free) UPS 2nd Day Air) INVOICE TOTAL Amount Paid
2,137.00 0.00
$2,137.00 2,137.00
Customer agrees to pay all debts, accounts, and invoices owing to MERCER MEDICAL, LLC in full accordance with the agreed upon terms of the s

INVOICE

MERCER MEDICAL
8611 S. 212th Street
Kent WA 98031
425-430-5509
www.mercermed.com
Tax ID # 71-1002778

DATE	6/20/2013
INV:	8872
REF	SALES ORDER #6313
TERMS	Credit Card
DUE	6/20/2013
PO:	2494bj
REP	Chris Rudd
SHIP VIA	(free) UPS 2nd Day Air
SHIP DATE	6/20/2013
TRACKING	1Z807AW70297567459 1Z807AW70295829643
ORDERED BY	

BILL TO

Becky Johnston
Eastern Reg Diag & Corrections - D...
2727 HWY K
Bonne Terre MO 63628

SHIP TO

Eastern Reg Diag & Corrections - ...
2727 HWY K
Bonne Terre MO 63628

Item	QTY	NDC	Inventory Detail	PRICE	AMOUNT
PROPOFOL 10 MG/ML 20ML EMUL 5	20	00409469930	26517DJ(18) 26543DJ(2)	106.85	2,137.00

Subtotal	**2,137.00**
Shipping Cost ((free) UPS 2nd Day Air)	**0.00**
INVOICE TOTAL	**$2,137.00**
Amount Paid	**2,137.00**
Balance Due	**0.00**

Customer agrees to pay all debts, accounts, and invoices owing to MERCER MEDICAL, LLC in full accordance with the agreed upon terms of the sale. In the event such debts, accounts, or invoices owing are not paid when due, MERCER MEDICAL, LLC may, in addition to MERCER MEDICAL, LLC's right to exercise other remedies, withhold any credits or payments to Customer and assess a per-day late payment fee equal to the lower of eighteen percent (18%) per annum or the maximum rate allowed by law on the amount due is paid in full, beginning on the first business day after such due date. MERCER MEDICAL, LLC may charge a processing fee of $50 for any dishonored payment. Customer hereby agrees to pay all fees and collection costs including attorneys' fees, in the event this account is placed for collection and waives the privilege of being sued in its county of residence. If you object to these terms please notify MERCER MEDICAL, LLC immediately by calling 1-877-430-5509 ext 100.

Message: FW: Morris & Dickson Urgent Issue !

FW: Morris & Dickson Urgent Issue !

From Vance, Debbie **Date** Saturday, November 03, 2012 7:02 AM
To Lombardi, George
Cc

From: Dale Kelley [DKelley@morrisdickson.com]
Sent: Friday, November 02, 2012 7:51 PM
To: Vance, Debbie
Subject: RE: Morris & Dickson Urgent Issue !

From: Dale Kelley
Sent: Friday, November 02, 2012 7:38 PM
To: 'debbie.vance@Docmo.gov'
Subject: Morris & Dickson Urgent Issue !

To: Mr. George Lombardi
Director of Department of Corrections
State of Missouri

Dear Mr. Lombardi,

I am writing on a most urgent matter. My company, Morris & Dickson Co., a pharmaceutical wholesaler located in Shreveport , Louisiana currently supplies pharmaceuticals and medical supplies to many of the Hospitals/ Institutions in the State of Missouri. On September 26 and 27th, 2012, we had a system failure that inadvertently allowed a RESTRICTIVE DRUG " Diprivan Vial 10mg/50ml " to be delivered to a Missouri correctional center - Eastern Reception Diagnostic Correctional Center, in Bonne Terre, MO.
This shipping error/mistake caused a violation to our Fresenius Kabi USA Agreement which states that we are NOT allowed to sell their " Restricted Products " to federal or state prisons, jails, or other incarceration facilities.
We realized this shipping error on Wednesday, October 31st, 2012. We tried to pick up this product yesterday, Thursday, November 1st. Our salesperson was at the facility all day and told this would have to be approved from you or the Governor. I have also made several telephone calls to your legal counsel but have not been able to connect.


As of today, Friday , Novermber 2nd, We have been suspended from further distribution of Propofol which will cause irreparable harm to the Medical Community which we serve. This will affect thousands of patients needing anesthetics during surgeries and emergency procedures at more than


600 Hospitals in the Mid West and Southern States.

Please - Please - Please HELP ...this system failure - a mistake - 1 carton of 20 vials - is going to affect thousands of Americans.

I am asking you to please allow this product to be returned back to Morris & Dickson Co.,.
So many are depending on this important decision. THANK YOU in advance for doing the right thing and helping to rectify this situation.
We can have the product picked up by our salesperson today.


Sincerely,
Dale Kelley
VP Purchasing
Morris & Dickson Co.,
T- (800) 388 - 3833


NDC 63323-269-50
DIPRIVAN®
INJECTABLE EMULSION, USP
propofol
1%
10 mg/mL propofol
FOR I.V. ADMINISTRATION
Sterile, nonpyrogenic
Rx only
SHAKE WELL BEFORE USING
Twenty 50 mL single-patient infusion vials
• Contains EDTA, which inhibits microbial growth up to 12 hours
• Use strict aseptic technique
• Contamination can cause fever, infection/sepsis, and/or other life-threatening illness
• Begin use promptly after opening; Discard within specified time limit (See package insert)
• Do not use if contamination is suspected
LOT 16EL016
EXP 10 2013



Sterile, nonpyrogenic
SHAKE WELL BEFORE USING
Rx only
Dosage: See accompanying Professional Information Brochure.
In addition to the active component, propofol, the formulation contains: soybean oil (100 mg/mL), glycerol (22.5 mg/mL), egg lecithin (12 mg/mL) and disodium edetate (0.005%); with sodium hydroxide to adjust pH.
DIPRIVAN® should be administered only by persons trained in the administration of general anesthesia and not involved in the conduct of the surgical/diagnostic procedure. Facilities for maintenance of a patent airway, artificial ventilation, and oxygen enrichment and circulatory resuscitation must be immediately available.
Store between 4° to 25°C (40° to 77°F). Do not freeze.
• Contains EDTA, which inhibits microbial growth up to 12 hours
• Use strict aseptic technique
• Contamination can cause fever, infection/sepsis, and/or other life-threatening illness
• Begin use promptly after opening; Discard within specified time limit (See package insert)
• Do not use if contamination is suspected
DIPRIVAN is a trademark of APP Pharmaceuticals, LLC.
Manufactured for:
APP
APP Pharmaceuticals, LLC
Schaumburg, IL 60173
Made in Austria


NDC 63323-269-50
260950
DIPRIVAN®
INJECTABLE EMULSION, USP
propofol
1%
10 mg/mL propofol
FOR I.V. ADMINISTRATION
Sterile, nonpyrogenic
Rx only
SHAKE WELL BEFORE USING
Twenty 50 mL single-patient infusion vials
• Contains EDTA, which inhibits microbial growth up to 12 hours
• Use strict aseptic technique
• Contamination can cause fever, infection/sepsis, and/or other life-threatening illness
• Begin use promptly after opening; Discard within specified time limit (See package insert)
• Do not use if contamination is suspected
APP
2 03 63323 269 50 4


NDC 63323-269-50
260950
DIPRIVAN®
1%
INJECTABLE
EMULSION, USP
propofol
10 mg/mL propofol
FOR I.V. ADMINISTRATION
Sterile, nonpyrogenic
Rx only
SHAKE WELL BEFORE USING
Twenty 50 mL
single-patient infusion vials
• Contains EDTA, which inhibits microbial growth up to 12 hours
• Use strict aseptic technique
• Contamination can cause fever, infection/sepsis, and/or other life-threatening illness
• Begin use promptly after opening; Discard within specified time limit (See package insert)
• Do not use if contamination is suspected
APP



NDC 63323-269-50
260950
DIPRIVAN®
INJECTABLE EMULSION, USP
propofol
1%
10 mg/mL propofol
FOR I.V. ADMINISTRATION
Sterile, nonpyrogenic
Rx only
SHAKE WELL BEFORE USING
Twenty 50 mL
single-patient infusion vials
• Contains EDTA, which inhibits microbial growth up to 12 hours
APP
2 03 63323 269 50 4
LOT 16FF0275
EXP 05 2014


NDC 63323-269-50
260950
DIPRIVAN® 1%
INJECTABLE
EMULSION, USP
propofol
10 mg/mL propofol
FOR I.V. ADMINISTRATION
Sterile, nonpyrogenic
Rx only
SHAKE WELL BEFORE USING
Twenty 50 mL
single-patient infusion vials
• Contains EDTA, which inhibits microbial growth up to 12 hours
• Use strict aseptic technique
• Contamination can cause fever, infection/sepsis, and/or other life-threatening illness
• Begin use promptly after opening; Discard within specified time limit (See package insert)
• Do not use if contamination is suspected
APP


NDC 63323-269-50
260950
DIPRIVAN®
INJECTABLE
EMULSION, USP
propofol
1%
10 mg/mL propofol
FOR I.V. ADMINISTRATION
Sterile, nonpyrogenic
Rx only
SHAKE WELL BEFORE USING
Twenty 50 mL
single-patient infusion vials
• Contains EDTA, which inhibits microbial growth up to 12 hours
• Use strict aseptic technique
• Contamination can cause fever, infection/sepsis, and/or other life-threatening illness
• Begin use promptly after opening: Discard within specified time limit (See package insert)
• Do not use if contamination is suspected
APP

Sterile, nonpyrogenic

SHAKE WELL BEFORE USING

Rx only

Dosage: See accompanying Professional Information Brochure.

In addition to the active component, propofol, the formulation contains: soybean oil (100 mg/mL), glycerol (22.5 mg/mL), egg lecithin (12 mg/mL) and disodium edetate (0.005%); with sodium hydroxide to adjust pH.

DIPRIVAN® should be administered only by persons trained in the administration of general anesthesia and not involved in the conduct of the surgical/diagnostic procedure. **Facilities for maintenance of a patent airway, artificial ventilation, and oxygen enrichment and circulatory resuscitation must be immediately available.**


Store between 4° to 25°C (40° to 77°F). Do not freeze.

- **Contains EDTA, which inhibits microbial growth up to 12 hours**
- **Use strict aseptic technique**
- **Contamination can cause fever, infection/sepsis, and/or other life-threatening illness**
- **Begin use promptly after opening; Discard within specified time limit (See package insert)**
- **Do not use if contamination is suspected**

Manufactured for:

APP

APP Pharmaceuticals, LLC
Schaumburg, IL 60173
Made in Austria


5-NDC 0409-4699-30
L/N 4699-30 LC 04 IC 40
CASE PACK 5 X 5 - 20 ML
PROPOFOL INJECTABLE
EMULSION 10 MG/ML
LOT NO. 26-517-DJ-01
EXP. DATE 1FEB2015
STORE AT CONTROLLED ROOM TEMPERATURE.
AVOID EXCESSIVE HEAT. PROTECT FROM FREEZING.

5-NDC 0409-4699-30
L/N 4699-30 LC 04 IC 40
CASE PACK 5 X 5 - 20 ML
PROPOFOL INJECTABLE
EMULSION 10 MG/ML
LOT NO. 26-517-DJ-01
EXP. DATE 1FEB2015
STORE AT CONTROLLED ROOM TEMPERATURE.
AVOID EXCESSIVE HEAT, PROTECT FROM FREEZING.

(01)30304094699302(30)05

(22)005315020126517DJ012

5-NDC 0409-4699-30
L/N 4699-30 LC 04 IC 40
CASE PACK 5 X 5 - 20 ML
PROPOFOL INJECTABLE
EMULSION 10 MG/ML
LOT NO. 26-517-DJ-01
EXP. DATE 1FEB2015

STORE AT CONTROLLED ROOM TEMPERATURE.
AVOID EXCESSIVE HEAT, PROTECT FROM FREEZING.

(01)30304094699302(30)05


(22)8053150201265 17DJ012

5-NDC 0409-4699-30
L/N 4699-30 LC 04 IC 40
CASE PACK 5 X 5 - 20 ML
PROPOFOL INJECTABLE
EMULSION 10 MG/ML
LOT NO. 26-517-DJ-01
EXP. DATE 1FEB2015


STORE AT CONTROLLED ROOM TEMPERATURE.
AVOID EXCESSIVE HEAT, PROTECT FROM FREEZING.

(01)30304094699302(30)05


(22)805315020126517DJ012



5 Units X 20 mL Single patient infusion vial
PROPOFOL
Injectable Emulsion
200 mg/20 mL
(10 mg/mL)
1%
CONTAINS BENZYL ALCOHOL
FOR I.V. ADMINISTRATION
Hospira, Inc., Lake Forest, IL 60045 USA
Hospira
• CONTAINS BENZYL ALCOHOL, which inhibits microbial growth up to 12 hours
• Use strict aseptic technique
• Contamination can cause fever, infection/sepsis and/or other life-threatening illness
• Begin use promptly after opening. Discard within specified time limit (see package insert)
• Do not use if contamination is suspected
℞ only NDC 0409-4699-30
Propofol should be administered only by persons trained in the administration of general anesthesia and not involved in the conduct of the surgical/diagnostic procedure. Patients should be continuously monitored and facilities for maintenance of a patent airway, artificial ventilation, and oxygen enrichment and circulatory resuscitation must be immediately available.
POTASSIUM CHLORI

SHAKE WELL BEFORE USING.
Store at 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature.] Do not freeze. Discard unused portion.


1FEB2015
26517DJ
CA-1878 (6/08)
P

Each mL contains propofol 10 mg;
soybean oil 100 mg; glycerin 22.5 mg;
egg lecithin 12 mg,
benzyl alcohol 1.5 mg and
sodium benzoate 0.7 mg added.
pH adjusted with sodium hydroxide.
Sterile, nonpyrogenic.
USUAL DOSAGE: See insert.


5 Units X 20 mL Single patient infusion vial
PROPOFOL
Injectable Emulsion
200 mg/20 mL
(10 mg/mL)
1%
CONTAINS BENZYL ALCOHOL
FOR I.V. ADMINISTRATION
Hospira, Inc., Lake Forest, IL 60045 USA
Hospira
• CONTAINS BENZYL ALCOHOL, which inhibits microbial growth up to 12 hours
• Use strict aseptic technique
• Contamination can cause fever, infection/sepsis and/or other life-threatening illness
• Begin use promptly after opening; Discard within specified time limit (see package insert)
• Do not use if contamination is suspected
℞ only
NDC 0409-469
Propofol should be administe
only by persons trained in the
administration of general
anesthesia and not involved
in the conduct of the
surgical/diagnostic procedure
Patients should be continuously
monitored and facilities for
maintenance of a patent airw
artificial ventilation, and oxy
enrichment and circulatory
resuscitation must be
immediately available.


EXP.
1FEB2015
LOT
26517DJ


NDC 63323-269-50
260950
DIPRIVAN® 1%
INJECTABLE
EMULSION, USP
propofol
10 mg/mL propofol
FOR I.V. ADMINISTRATION
50 mL single-patient infusion vial
Rx only


NDC 63323-269-50
260950
DIPRIVAN® 1%
INJECTABLE EMULSION, USP
propofol
10 mg/mL propofol
FOR I.V. ADMINISTRATION
50 mL single-patient infusion vial
Rx only
16EL0168
20 mL Single patient infusion
PROPOFOL 1%
Injectable Emulsion
200 mg/20 mL (10 mg/mL)
CONTAINS BENZYL ALCOHOL
SHAKE WELL BEFORE USING.
Hospira, Inc.
Lake Forest, IL 60045 USA
Hospira

5-NDC 0409-4699-30
L/N 4699-30 LC 04 IC 40
CASE PACK 5 X 5 - 20 ML
PROPOFOL INJECTABLE
EMULSION 10 MG/ML
LOT NO. 26-517-DJ-01
EXP. DATE 1FEB2015
STORE AT CONTROLLED ROOM TEMPERATURE.
AVOID EXCESSIVE HEAT, PROTECT FROM FREEZING.


(01)30304094699302(30)05


(22)805315020126517DJ012



NDC 63323-270-50 270150
PROPOFOL
INJECTABLE EMULSION, USP
1% (10 mg/mL)
Rx only
Contains EDTA
FOR IV ADMINISTRATION
Twenty
50 mL
single-patient
infusion vials
SHAKE WELL BEFORE USING
• Contains EDTA, which inhibits microbial growth up to 12 hours
• Use strict aseptic technique
• Contamination can cause fever, infection/sepsis, and/or other life-threatening illness
• Begin use promptly after opening; Discard within specified time limit (See package insert)
• Do not use if contamination is suspected
APP
3 63323-270-50 6
LOT K11025A
EXP 03/2013
NDC 63323-270-50 270150



NDC 63323-269-50
260950
DIPRIVAN®
1%
INJECTABLE
EMULSION, USP
propofol
10 mg/mL propofol
FOR I.V. ADMINISTRATION
Sterile, nonpyrogenic
Rx only
SHAKE WELL BEFORE USING
Twenty 50 mL
single-patient infusion vials
• Contains EDTA, which inhibits microbial growth up to 12 hours
2 03 63323 269 50
LOT 16FF0275
EXP 05 2014


NDC 63323-269-50
260950
DIPRIVAN®
1%
INJECTABLE EMULSION, USP
propofol
10 mg/mL propofol
FOR I.V. ADMINISTRATION
Sterile, nonpyrogenic
Rx only
SHAKE WELL BEFORE USING
Twenty 50 mL
single-patient infusion vials
• Contains EDTA, which inhibits microbial growth up to 12 hours
LOT 16EL0168
EXP 10 2013
APP


20 mL Single patient infusion vial
PROPOFOL
Injectable Emulsion
200 mg/20 mL (10 mg/mL)
1%
CONTAINS BENZYL ALCOHOL
SHAKE WELL BEFORE USING.
Hospira, Inc.
Lake Forest, IL 60045 USA


5 Units X 20 mL Single patient infusion vial
PROPOFOL
Injectable Emulsion
200 mg/20 mL
(10 mg/mL)
1%
CONTAINS BENZYL ALCOHOL
FOR I.V. ADMINISTRATION
Hospira, Inc., Lake Forest, IL 60045 USA
Hospira
• CONTAINS BENZYL ALCOHOL, which inhibits microbial growth up to 12 hours
• Use strict aseptic technique
• Contamination can cause fever, infection/sepsis and/or other life-threatening illness
• Begin use promptly after opening; Discard within specified time limit (see package insert)
• Do not use if contamination is suspected
℞ only
Propofol should be administer
only by persons trained in the
administration of general
anesthesia and not involved
in the conduct of the
surgical/diagnostic procedure
Patients should be continuously
monitored and facilities for
maintenance of a patent airw
artificial ventilation, and oxyg
enrichment and circulatory
resuscitation must be
immediately available.


5 Units X 20 mL
PROPOFOL
Injectable Emulsion
200 mg/20 mL
(10 mg/mL)
1%
CONTAINS BENZYL ALCOHOL
FOR I.V. ADMINISTRATION
5 Units X 20 mL
PROPOFOL
200 mg/20 mL
(10 mg/mL)
1%
CONTAINS BENZYL ALCOHOL
FOR I.V. ADMINISTRATION


23-270-50 270150
OPOFOL
BLE EMULSION, USP
(10 mg/mL)
Rx only
ns EDTA
Twenty
50 mL
ADMINISTRATION
single-patient
infusion vials
WELL BEFORE USING
• Contains EDTA, which inhibits microbial growth up to 12 hours
• Use strict aseptic technique
• Contamination can cause fever, infection/sepsis, and/or other life-threatening illness
• Begin use promptly after opening; Discard within specified time limit (See package insert)
• Do not use if contamination is suspected
3 63323-270-50
LOT K11025A
EXP 03/2013